

## **Relative Equilibrium**

**Question 1**: A tank which has a liquid with a specific weight  $\gamma = 9.22 \text{ kN/m}^3$  inside it has an upward constant acceleration of 4.8 m/s<sup>2</sup>. Depth of the liquid in the tank is 0.9 meters. Dimensions of the base of the tank are 1.20 x 1.50 meters. Find the pressure and the pressure force at the base of the tank.

- **a.** When the tank is accelerating,
- ${f b.}$  After the tank's acceleration dies out and when it keeps moving upward with a constant velocity of 6 m/s ,

## Answer:

a- 
$$F = 22.26kN$$
 b-  $F = 14.91kN$ 

**Question2:** A container that is partially filled with water is dragged with an acceleration of a=4 m/s<sup>2</sup> at an angle of 30° with horizontal plane. Given that the container's base width is 4 meter and the depth of the water before motion has started is 1.5 meter,

- **a.** Calculate the angle of the water's surface with horizontal plane.
- **b.** Calculate the maximum and minimum pressures on the base (bottom) of the container.


## **Answer:**

a- 
$$\Theta$$
=16.347 b-  $\sigma_{max}$ = 24.72  $kN/m^2$   $\sigma_{min}$ =10.79  $kN/m^2$ 

**Question 3**: The depth of water in an open–topped cylindrical container is 1.5 meter. The container is being rotated with angular velocity  $\omega$  around its own axis.

- **a.** Calculate the maximum angular velocity of the container that could be attained without spilling the water.
- **b.** Calculate the maximum angular velocity that could be attained while keeping the water depth above the container's axis to be  $Z_0 = 0$ .
- **C.** Find the pressure values on the bottom and on the sides B and C for  $\omega = 6$  rad/s.

Note: Volume of the paraboloid is half of the cylinder's volume that is built right on it.



**Answer 3:** a)  $\omega_{\text{max}} = 8.86 \text{ rad s}^{-1}$ ; b)  $\omega = 15.34 \text{ rad s}^{-1}$ ;  $p_{eksen} = 1.27 \times \gamma = 12.46 \text{ kN/m}^2$  and  $p_{cidar} = 1.73 \times \gamma_{su} = 16.97 \text{ kN/m}^2$